

k -Anonymity in the Presence of External Databases

Dimitris Sacharidis, Kyriakos Mouratidis, and Dimitris Papadias

Abstract—The concept of k -anonymity has received considerable attention due to the need of several organizations to release microdata without revealing the identity of individuals. Although all previous k -anonymity techniques assume the existence of a public database (PD) that can be used to breach privacy, none utilizes PD during the anonymization process. Specifically, existing generalization algorithms create anonymous tables using only the microdata table (MT) to be published, independently of the external knowledge available. This omission leads to high information loss. Motivated by this observation we first introduce the concept of k -join-anonymity (KJA), which permits more effective generalization to reduce the information loss. Briefly, KJA anonymizes a superset of MT , which includes selected records from PD . We propose two methodologies for adapting k -anonymity algorithms to their KJA counterparts. The first generalizes the combination of MT and PD , under the constraint that each group should contain at least one tuple of MT (otherwise, the group is useless and discarded). The second anonymizes MT , and then refines the resulting groups using PD . Finally, we evaluate the effectiveness of our contributions with an extensive experimental evaluation using real and synthetic datasets.

Index Terms—Privacy, k -anonymity.

1 INTRODUCTION

NUMEROUS organizations (e.g., medical authorities, government agencies) need to release person-specific data, often called *microdata*. Although microdata are useful for several tasks (e.g., public health research, demographic analysis), they may unintentionally disclose private information about individuals. *Privacy preservation* aims at limiting the risk of linking published data to a particular person. Three types of microdata attributes are relevant to privacy preservation: (i) *identifiers* (IDs), (ii) *quasi-identifiers* (QIs), and (iii) *sensitive attributes* (SAs). IDs (e.g., passport number, social security number, name) can be used individually to identify a tuple. Clearly, the IDs of all microdata tuples should always be removed in order to protect privacy. QIs (e.g., zipcode, gender, birth date) are attributes that can be combined to act as IDs in the presence of external knowledge. Finally, SAs (e.g., disease, salary, criminal offence) are fields that should be hidden so that they cannot be associated to specific persons. The process of concealing identity information in microdata is called *de-identification*. On the other hand, *re-identification* is the successful linking of a published tuple to an existing person and corresponds to a *privacy breach*.

In a well-known example, Sweeney [1] was able to determine the medical record of the governor of Massachusetts by joining de-identified patients' data with a voter registration list. Figure 1 illustrates a simple re-identification case. The microdata table MT has two numeric QIs and a categorical SA . A public database PD contains information about the persons of MT except for D . Moreover, it includes 6 additional records: G_1 , G_2 (which have identical QI values to G), U , V , X , Y . The tuples A , B , C , E , F of MT can be re-identified since their QI value combinations are unique in PD . For instance, by performing an equi-join $MT \bowtie_{QI_1, QI_2} PD$, one can infer that the SA of A is v_1 . On the other hand, G cannot be uniquely re-identified since there are three records in PD with identical QI values.

MT				PD					
	QI_1	QI_2	SA	ID	QI_1	QI_2	ID	QI_1	QI_2
tuple D	1	1	v_1	A	1	1	U	1	2
	2	2	v_2	B	2	2	V	2	4
	1	4	v_1	C	1	4	X	3	4
	2	3	v_2				Y	4	1
	3	1	v_1	E	3	1			
	3	2	v_2	F	3	2			
	5	4	v_3				G	5	4
							G_1	5	4
							G_2	5	4

Fig. 1. Microdata (MT) and Public Database (PD)

Several concepts have been proposed to achieve privacy preservation. Most database literature has focused on k -anonymity [1], [2]. Specifically, a table T is k -anonymous if each record is indistinguishable from at least $k - 1$ other tuples in T with respect to the QI set. For instance, MT in Figure 1 is 1-anonymous as all combinations of QI values are distinct. The process

- D. Sacharidis is with the Institute for the Management of Information Systems, Greece and the Hong Kong University of Science and Technology, Hong Kong.
dsachar@dblab.ntua.gr
- K. Mouratidis is with the School of Information Systems Singapore Management University, Singapore.
kyriakos@smu.edu.sg
- D. Papadias is with the Department of Computer Science and Engineering Hong Kong University of Science and Technology, Hong Kong.
dimitris@cs.ust.hk

of generating a k -anonymous table given the original microdata is called k -anonymization. The most common form of k -anonymization is *generalization*, which involves replacing specific QI values with more general ones.

The output of generalization is an *anonymized table* AT containing *anonymized groups*, each including at least k tuples with identical QI values. AT in Figure 2(a) is a 3-anonymous version of MT . A tuple (e.g., A) is indistinguishable among the other records (B , C , D) in its group with respect to the QI attributes, and therefore, its record in MT cannot be precisely determined. Because k -anonymity focuses exclusively on QIs , we omit SA from our illustrations. On the other hand, although the ID is not actually included in MT , we show it in the diagrams for easy reference to the tuples.




Fig. 2. Generalization based exclusively on MT

Figure 2(b) contains a visualization of AT , where each group is represented by a rectangle enclosing the QI values of all tuples in the group. Since generalization replaces specific values with ranges, it incurs some inevitable information loss, which can be measured based on various metrics. In general, the usefulness of AT , as well as the effectiveness of a generalization technique, is inversely proportional to its information loss, provided of course that k -anonymity is satisfied.

This work is motivated by the observation that *although all previous k -anonymity techniques assume the existence of a PD , which can be used to breach privacy, none actually takes PD into account during the anonymization process.* This omission leads to unnecessarily high information loss. In Figure 1, if $k = 3$, tuple $G \in MT$ does not require generalization, as PD already contains 2 other records (G_1 and G_2) with the same QI values. Based on this fact, we introduce the concept of *k -join-anonymity* (KJA) to reduce the information loss. Briefly, KJA anonymizes a superset of MT , which includes selected records from PD .

KJA permits the utilization of existing generalization techniques. Specifically, we propose two methodologies for adapting a k -anonymity algorithm $kAlgorithm$ to its KJA counterpart. The first simply applies $kAlgorithm$ directly to the equijoin of MT and PD , under the constraint that each group should contain at least one tuple of MT (otherwise, the group is useless and discarded). The second executes $kAlgorithm$ on MT and refines the resulting groups using PD .

The rest of the paper is organized as follows. Section 2

surveys previous work on k -anonymity and related concepts. Section 3 introduces k -join-anonymity. Section 4 describes the methodologies for adapting k -anonymity generalization to KJA. Section 5 contains an extensive experimental evaluation using real and synthetic data sets. Section 6 concludes with directions for future work.

2 BACKGROUND

Section 2.1 introduces k -anonymity and Section 2.2 reviews methods and relevant literature. Section 2.3 outlines other related privacy models.

2.1 Preliminaries

A microdata table MT contains tuples without ID values that correspond to persons; we assume that only a single tuple per person exists in MT . Note that only the QI set¹ is important for k -anonymity and the SAs can be ignored. The individuals in MT are drawn from a large population, termed *universe*.

Definition 1. The set of existing individuals that may appear in MT is called the *universe* \mathcal{U} of MT . The schema of \mathcal{U} consists of the unique identifier (ID) and all QI attributes appearing in MT .

The notion of universe may encapsulate several restrictions on various aspects of the data, such as their geographic and temporal scope. Consider, for instance, a geriatric clinic in Massachusetts admitting individuals above 50 years of age that wishes to release patients' microdata. The universe consists of residents of Massachusetts with *age* attribute greater than 50. As another example, consider a company that releases payroll information about employees who received a raise. In this case, the universe contains all employees of the company.

Given MT , the anonymization process produces an *anonymized table* (or view) AT that contains all tuples and QI attributes, and preserves as much information as possible compared to the original table MT .

Definition 2. A table AT is an anonymized instance of MT if: (i) AT has the same QI attributes as MT , and (ii) there is a one-to-one and onto mapping (bijection) of MT to AT tuples.

The most common method, i.e., mapping, for achieving anonymization is *generalization*. For numerical QIs a generalization of a value is a range. For categorical QIs it is a higher-level value in a given hierarchy (e.g., a city name is replaced with a state, or country). Since categorical values can be trivially mapped to an integer domain, we assume only numerical QIs here. A generalized AT tuple is represented as an axis-parallel (hyper) rectangle, called *G -box*, in the QI space defined by the extent of its QI ranges. We use the term *anonymized group*, or simply *group*, to refer to the set of MT tuples that fall within a G -box. The goal of k -anonymity is to hide the identity of

1. [3] contains a formal definition of quasi-identifiers and an in-depth study of their interpretation in different settings.

individuals by constructing G -boxes that contain at least k MT tuples.

Definition 3. An anonymized table AT of MT is k -anonymous if the mapping of each MT record is indistinguishable among the mappings of at least $k - 1$ other MT tuples.

To understand the guarantees of k -anonymity we must first specify the privacy threat and the adversarial knowledge. We consider the *re-identification attack* [1], where an attacker's objective is to pinpoint the tuple of a particular person, termed *victim*, in the anonymized table. Adversarial knowledge is described in the following.

Definition 4. The schema of a *public database* (PD^a) consists of the unique identifier (ID) and all QI attributes appearing in MT .

Assumption 1 (Precondition). The attacker has access to a public database PD^a which contains at least the victim's tuple.

Using PD^a , the attacker identifies the QI values of a victim V and matches them in AT . The next theorem defines the *breach probability*, i.e., the probability that an attacker re-identifies the victim's tuple.

Theorem 1. The breach probability for a victim V in a k -anonymous table AT is $p_{br} \leq 1/k$ independent of the attacker's PD^a .

Proof. The victim V falls inside at least one G -box g in AT . Since AT is k -anonymous, g consists of $|g| \geq k$ identical generalized MT tuples. Thus, $p_{br} \leq 1/|g| \leq 1/k$. \square

Various metrics have been proposed to quantify the information loss incurred by anonymization. According to the *discernability metric* (DM) [4], each MT record is assigned a penalty equal to the cardinality of its anonymized group. The DM of AT is defined as the sum of penalties of all MT tuples. According to the *normalized certainty penalty* (NCP) [5], the information loss for a record is equal to the perimeter of its G -box. The NCP of the AT is defined as the sum of the information loss for every MT record. For instance, the NCP of AT in Figure 2 is 62; i.e., $8 \cdot 4$ for g_1 , and $10 \cdot 3$ for g_2 .

2.2 k -Anonymity Methods

There are various forms of generalization. In *global recoding*, a particular attribute value in a domain must be mapped to the same range for all records. In *local recoding*, different value mappings can be chosen across different anonymized groups. The generalization process can also be classified into *single-dimensional*, where mapping is performed for each attribute individually, and *multi-dimensional*, which maps the Cartesian product of multiple attributes.

Optimal algorithms for single-dimensional generalization using global recoding appear in [4] and [6]. *Mondrian* [7] is a multi-dimensional, local recoding technique.

Xu et al. [5] propose *TopDown*, a local recoding method based on clustering. Another anonymization technique that uses clustering is proposed in [8]. Meyerson and Williams [9] and Aggarwal et al. [10] present theoretical results on the complexity of generalization. Aggarwal [11] studies the effect of the number of QI attributes on the information loss and concludes that k -anonymity suffers from the curse of dimensionality.

In the sequel, we describe in detail the *Mondrian* and *TopDown* generalization algorithms, which we adapt to KJA in Section 4. *Mondrian* [7] constructs QI groups that contain from k up to $2k - 1$ tuples (when all QI values present in MT are distinct), following a strategy similar to the KD-tree space partitioning [12]. In particular, starting with all MT records, it splits the d -dimensional space (defined by the d QI attributes) into two partitions of equal cardinality. The first split is performed along the first dimension (i.e., quasi-identifier QI_1), according to the median QI_1 value in MT . Each of the resulting groups is further divided into two halves according to the second dimension. Partitioning proceeds recursively, choosing the splitting dimension in a round robin fashion among QI attributes. *Mondrian* terminates when each group contains fewer than $2k$ records. The resulting space partition is the anonymous version of MT to be published.

Figure 3 demonstrates 3-anonymization with *Mondrian*, assuming that MT contains records A, \dots, M and has two quasi-identifiers. The horizontal axis corresponds to QI_1 , and the vertical to QI_2 . The first split is performed on the horizontal axis, according to the QI_1 value of C . The left (right) half of the space contains 6 (7) MT tuples (i.e., exceeding $2k - 1 = 5$), and it is divided into two groups according to the QI_2 value of record A (of record F). Since each resulting group has fewer than 5 tuples, splitting terminates. The anonymized version AT of MT consists of the four shaded minimum bounding boxes (MBBs), each representing an anonymized group.




Fig. 3. Generalization of MT with *Mondrian*

TopDown [5] is a recursive clustering algorithm. Specifically, it starts with the entire MT and it progressively builds tighter clusters with fewer points. Figure 4 demonstrates the steps of *TopDown* on the MT tuples of Figure 3. Initially, the algorithm finds the two tuples

that if included in the same anonymized group, they would result in the largest perimeter. In our example, this first step retrieves G and E . Next, *TopDown* considers the remaining records in random order, and groups them together with either G or E ; a considered tuple is inserted to the group where it causes the smallest NCP increase.

In Figure 4(a), assume that record A is processed first. It is included in G 's cluster, because if grouped with E it would lead to a rectangle with larger perimeter. Similarly, if C (H) is the second tuple, it is grouped with E (with G and A). After the first pass, all records belong to either group. The procedure is repeated recursively within each cluster, until all groups have no more than k tuples. After this step, the majority of the groups have cardinality below k . To fulfill the k -anonymity requirement, undersized groups are merged with neighboring ones according to some heuristics, aiming at a small NCP. The shaded MBBs of Figure 4(b) correspond to four anonymized groups in our example.




Fig. 4. Generalization of MT with *TopDown*

2.3 Related Concepts

Although k -anonymity hides the tuple of an individual among others, it fails to conceal its sensitive information. For example, when all k tuples in the group of victim V have the same disease, an attacker can determine V 's disease with 100% probability. For this reason, various alternative anonymization methods were proposed. The most widely used is l -diversity. A table is l -diverse if each anonymized group contains at least l well-represented² SA values [13]. Existing k -anonymity algorithms can be extended to capture l -diversity. For instance, when *Mondrian* splits a group, it has to ensure that each partition satisfies l -diversity. Otherwise, it must abandon the split (or choose another split axis). Xiao and Tao [14] follow a different approach that publishes the original QI s and SA s in different tables, so that l -diversity is preserved without the need for generalization (however, k -anonymity is fully compromised). A similar method is used in [15] for improving the accuracy of aggregate search. Two recent works study the re-publication of

2. There are different definitions of l -diversity depending on the background knowledge available to the attacker.

data. In particular, Byun et al. [16] discuss preservation of l -diversity when new tuples appear in the MT . Xiao and Tao [17] also study deletions of MT tuples.

The concept of t -closeness [18] requires that the distribution of SA values in each QI group is analogous to the distribution of the entire dataset. Knowledge of the inner mechanisms of the anonymization algorithm can result in privacy breaches as shown in [19]. The authors introduce the concept of m -confidentiality that prevents such attacks. A broader, compared to l -diversity, model for capturing background knowledge and the related (c, k) -safety notion are discussed in [20]. Rastogi et al. [21] present a theoretical study of the privacy-utility tradeoff inherent in anonymization. Ghinita et al. [22] propose fast algorithms for achieving k -anonymity and l -diversity. The concept of k^m -anonymity [23] captures the existence of multiple records per person in the microdata.

Given a known universe \mathcal{U} , the *presence attack* tries to determine if an individual from \mathcal{U} appears in the microdata. For example, consider a penitentiary that releases a list of its inmates. In this scenario, discovering whether someone has been imprisoned constitutes a privacy breach. Although k -anonymity can protect from these attacks, it offers privacy guarantees that can vary considerably among the MT tuples. On the other hand, δ -presence [24] is designed to ensure uniform breach probability for all individuals in MT .

3 k -JOIN-ANONYMITY

Section 3.1 formally introduces k -join-anonymity (KJA) and presents the underlying assumptions. Section 3.2 extends KJA to handle sensitive attributes and Section 3.3 investigates the utility of the released data.

TABLE 1
Notation

Symbol	Description
ID	Identifier attribute
QI	Quasi-identifier attribute
SA	Sensitive attribute
MT	Microdata table
MT^+	MT augmented with the ID
\mathcal{U}	Universe
PD^a	Public database known to the attacker
PD^p	Public database known to the publisher
JT^+	Full outer join table of MT^+ with PD^p
JT	JT^+ without the ID
AT	k -anonymous table of MT
JAT	k -join-anonymous table of MT
SI	Auxiliary table containing the SA

3.1 Definitions and Assumptions

The goal of k -join-anonymity is to provide the same privacy guarantees with k -anonymity incurring, however, less information loss. To achieve this it shrinks the G -boxes using public knowledge about universe (\mathcal{U})

tuples. In some applications, the entire \mathcal{U} is available to the publisher, e.g., as in the company payroll example. However, in most practical cases, knowing every person in the universe is not feasible.

Assumption 2. The publisher possesses a public database PD^p , which is a subset of the universe.

Note that PD^p should contain at least the QI attributes of MT . Extra attributes in PD^p are discarded. A PD^p that does not include all QI s is useless for KJA. The anonymization process uses information from MT and PD^p . Let JT^+ denote the *full outer join table* $PD^p \bowtie_{ID} MT^+$, where MT^+ corresponds to the microdata augmented with the ID attribute. JT refers to the join table without the ID , and contains tuples that appear (i) in both PD^p and MT , (ii) in PD^p but not in MT , and (iii) in MT but not in PD^p . The main difference of KJA from previous k -anonymity formulations is that an MT record may be anonymized/grouped with any JT tuple, as opposed to being restricted to MT records. Note that not all PD^p tuples may be needed during the anonymization process. On the other hand, all MT records *must* be anonymized. We refer to a subset of JT , which contains all MT tuples, as *proper*.

Definition 5. A table JAT is a join-anonymized instance of MT if: (i) JAT has the same QI attributes as MT , and (ii) there is a one-to-one and onto mapping (bijection) from a proper subset of JT to JAT tuples.

Similar to k -anonymity, KJA uses generalization as the mapping function and enforces the following condition.

Definition 6. An anonymized table JAT of MT is k -join-anonymous if the mapping of each MT record is indistinguishable among the mappings of at least $k - 1$ other JT tuples.

When the publisher has no knowledge regarding additional \mathcal{U} tuples, i.e., PD^p is empty, $JT = MT$ and thus KJA reduces to conventional k -anonymity.

Figure 5(a) illustrates a 3-join-anonymous table JAT using the MT and PD^p of Figure 1; Figure 5(b) visualizes the resulting G -boxes. Comparing JAT with AT , note that group g_1 of AT (Figure 2(b)) is partitioned into two smaller ones in JAT , g'_1 and g'_2 , utilizing points U and V . Similarly, group g_2 shrinks to g'_3 and g'_4 , using Y , G_1 and G_2 .

Theorem 2. The breach probability for a victim V in a k -join-anonymous table JAT is $p_{br} \leq 1/k$ independent of the attacker's PD^a .

Proof: The victim V falls inside at least one G -box g in JAT . Since JAT is k -join-anonymous, g contains $|g| \geq k$ identical generalized JT tuples (from either MT or PD^p). Given that the attacker cannot distinguish among them, $p_{br} \leq 1/|g| \leq 1/k$. \square

We emphasize that KJA *does not include artificial tuples in the anonymization process*. The reason is to protect from *presence attacks* [24]. In this setting the attacker is aware of the entire universe, $PD^a = \mathcal{U}$, but does not know which




Fig. 5. Generalization in the presence of PD

individuals from \mathcal{U} appear in the microdata. Her/his goal is to collect information regarding the presence of the victim V in MT . For example, consider an attacker that wishes to find out if V has been hospitalized by examining an MT containing patients' records. If we allow artificial tuples, it is possible that the publisher anonymizes V to a group g using $k - 1$ non- \mathcal{U} records. Since the attacker knows the entire universe, s/he can perform a successful presence attack, i.e., disqualify all $k - 1$ artificial tuples and ascertain that V appears in MT .

A similar breach happens when the attacker purposely publishes a database with census data, among which s/he includes *fake* tuples of non-existing individuals or *erroneous* (i.e., purposely modified) information for existing individuals. If this database is included in the anonymization process, the adversary may subsequently disqualify the known fake/erroneous tuples and determine the presence of MT records anonymized with them.

In order to satisfy Assumption 2 and prevent presence attacks, the publisher must (i) incorporate into PD^p only databases published by trusted authorities (such as government offices) and (ii) cross-check the accuracy of PD^p tuples from multiple external databases. To prevent tampering with these data by third parties (e.g., adversaries gaining access to the trusted authorities' databases or interfering with the data transfer channel) the owner of PD^p may deploy authenticity verification methods such as [25], [26].

3.2 Sensitive Information

When the microdata contain sensitive attributes, KJA should protect from *attribute disclosures* [13] as well. According to this attack model, the adversary wishes to determine the sensitive information associated with the victim. This section shows that KJA is *equivalent* to traditional k -anonymity for preventing attribute disclosure. Note that k -anonymity offers non-uniform breach probability to tuples for this type of attack; in fact, this observation was the motivation for the l -diversity concept [13]. Furthermore, for a particular victim, different k -anonymous tables may offer different guarantees. Below we show that given a k -anonymous table AT , one

can construct a k -join-anonymous JAT , such that AT and JAT provide the same level of protection to each tuple.

Since a k -join-anonymous table, JAT , contains PD^p tuples with no sensitive information, a challenging task is to handle SA attributes in a manner that does not differentiate between MT and non- MT records. The naive solution of assigning SA values to non- MT tuples is unacceptable for two reasons. First, there is no obvious way to perform this assignment. Second, this increases the perceived cardinality of SA values in the microdata, reducing the accuracy and utility of the released data. For instance, an analyst may mistakenly conclude that more cancer patients exist than in reality. In the following we present an approach that only uses the SA values present in the microdata.

To aid the presentation, we introduce the concept of *sensitive groups*. Initially, consider a k -anonymous table AT . All tuples within a sensitive group sg_i have the same multiset of SA values, which is represented in a separate table SI similar to *Anatomy* [14]. More specifically, SI contains tuples (sg_i, v_j) associating SA value v_j to sg_i . In addition the anonymized table includes an attribute SG that identifies the tuple's sensitive group. Figure 6 shows the table AT of Figure 2(a) augmented with SG and the corresponding SI . Tuples A, B, C, D form sg_1 and are linked to one of the $\{v_1, v_1, v_2, v_2\}$ SA values. Note that in conventional k -anonymity, unlike KJA, sensitive and anonymized groups coincide, e.g., sg_1 and g_1 refer to the same tuples.




Fig. 6. Sensitive information in anonymized tables

Given an AT , we can construct a KJA table JAT with the following properties. (i) The G -box for each anonymized group g'_j of JAT is contained within the G -box of some g_i of AT , i.e., g_i is a generalization of g'_j . (ii) All tuples in g'_j (including those from PD^p not in MT) belong to the same sensitive group as those in g_i , i.e., SI is common for AT and JAT . Therefore, an MT tuple in JAT is linked to the same SA values as in AT . The *Refinement* method, described in Section 4, produces a JAT that explicitly satisfies the first property; attaining the second is trivial.

Figure 6 shows a JAT constructed based on the AT of Figure 2(a). Tuples A, B, C, D , which form g_1 in AT , are

split into groups g'_1 and g'_2 in JAT , satisfying the first property. Furthermore, these tuples retain their association to SA values, as they all belong to the same sensitive group sg_1 , satisfying the second property. Observe that non- MT tuples (e.g., U) are still indistinguishable from MT tuples (e.g., A, B). Independently of the released table (AT or JAT), the attacker reaches the same conclusion regarding the SA value for any of the A, B, C, D tuples, i.e., it is either v_1 or v_2 .

3.3 Utility

To evaluate the utility of the anonymized table, we adapt the two information loss metrics discussed in Section 2, DM [4] and NCP [5]. Let V be an MT record and g be its corresponding G -box in JAT . DM penalizes V based on the number of MT records inside g . On the other hand, NCP penalizes V by the (normalized) perimeter of g . As an example, consider the anonymized tables AT and JAT depicted in Figures 2(b) and 5(b). Note that in JAT the NCP for $G \in g'_4$ is 0 and the DM is 1, i.e., the minimum possible. The total NCP for JAT is $2 \cdot 4 + 2 \cdot 4 + 2 \cdot 4 + 1 \cdot 0 = 32$, whereas for AT is 62. Similarly, the total DM for JAT is $2 \cdot 2 + 2 \cdot 2 + 2 \cdot 2 + 1 \cdot 1 = 13$ and for AT is 25. Therefore, JAT incurs less information loss compared to AT according to DM (fewer MT tuples per group) and NCP (smaller group perimeter). Note that when $PD^p = \emptyset$, both KJA information loss metrics are equivalent to their counterparts for conventional k -anonymity. Next, we show how these metrics relate to typical mining tasks.

Consider the following aggregate query: find out the number of MT individuals within a range of the QI space. Figure 7 illustrates the range $[0, 4] \times (2, 4]$ as the shaded area containing two MT tuples, C and D . Given an anonymized table, the query can only be approximately answered. Processing for a k -anonymous table AT proceeds as follows. The given range covers $2/3$ of g_1 and $1/3$ of g_2 . Assuming uniform distribution of MT tuples inside the G -boxes, one can estimate that there are approximately $2/3 \cdot 4 = 2.66$ individuals within g_1 and $1/3 \cdot 3 = 1$ within g_2 . Therefore, based on AT , one deduces that approximately 3.66 individuals satisfy the query range.

On the other hand, query processing on JAT proceeds as follows. Note that thanks to JAT 's tighter groups the range covers only g'_2 . From JAT alone, one derives that g'_2 contains three PD^p tuples, but cannot discern among MT and non- MT records. However, the SI , shown in Figure 6, carries additional useful information. Tuples in g'_1 and g'_2 belong to sensitive group sg_1 , which contains four SA values. This implies that only four MT individuals are actually within groups g'_1, g'_2 , and that the remaining two are not from MT . Assuming these four are equally distributed among g'_1 and g'_2 , two of them are in g'_2 . Therefore, based on JAT (and SI), one concludes that approximately two individuals satisfy the query range, which happens to be an exact estimate.




Fig. 7. Utility of anonymized data

Analogous findings hold for more complex aggregate queries, e.g., find the distribution of sensitive values within a range. The correct answer for the query range shown in Figure 7 is $(v_1, v_2, v_3) = (1, 1, 0)$, since C, D have values v_1, v_2 , respectively. Using the above reasoning, one obtains the distribution $(5/3, 5/3, 1/3)$ from *AT* and the correct $(1, 1, 0)$ from *JAT* and *SI*. In conclusion, tighter G -boxes, in terms of cardinality (i.e., low DM) and volume (i.e., low NCP), increase the utility of released data in typical microdata analysis scenarios.


4 KJA ALGORITHMS

KJA requires that each G -box encloses at least k tuples of JT , subject to the constraint that each G -box encloses at least one tuple of MT . $kAlgorithm$ denotes a generalization method for k -anonymity such as *Mondrian* or *TopDown*. We propose two methodologies for applying $kAlgorithm$ to KJA. The first, termed *Direct*, generalizes the entire JT using $kAlgorithm$. Among the resulting G -boxes, it keeps only the ones that represent some record(s) in MT , and discards the rest. Note that, depending on $kAlgorithm$, the remaining G -boxes may not be tight, in which case they are replaced by their minimum bounding boxes (MBBs).

The second methodology, called *Refinement*, is motivated by the fact that *Direct* makes its first (and, thus, more determinative) grouping decisions without taking into account which tuples of JT appear in MT . Intuitively, group formation should consider the distribution of MT records (in the QI space), and then refine them using nearby external data. Based on the above, *Refinement* involves the following steps. First, it applies $kAlgorithm$ on MT . Then, for each generalization box created, it performs a range query on JT and invokes $kAlgorithm$ on the retrieved records. This operation generates new G -boxes. *Refinement* places into *JAT* the MBBs of the new G -boxes that contain at least one MT tuple.

Figure 8(a) illustrates the adaptation of *Mondrian* to KJA using *Refinement*. We use the MT dataset of Figure 3 (e.g., records A to M), assuming that the PD^p contains tuples N to Z , shown as hollow points. First, we execute *Mondrian* on MT , producing the 4 partitions shown in Figure 3. Then, for each of these partitions, we find all the PD^p records falling inside and exploit them to refine

the groups of the first round. The bold lines correspond to the original splits and the thinner ones to the second round of splits. The shaded areas of Figure 8(b) denote the final G -boxes.


Fig. 8. KJA adaptation of *Mondrian*

Note that G -boxes without any MT tuple (e.g., the one containing records T, U, V , and W) are discarded. Also, in groups with more external tuples than necessary, we ignore some of them so as to minimize the corresponding G -box perimeter; e.g., the group of L, M, Y, Z (in Figure 8(a)) contains more than $k = 3$ tuples, and omission of external record Z (in Figure 8(b)) reduces the perimeter, without violating the anonymity constraint or leaving any MT tuple outside. By comparing Figures 3 and 8(b)), it can be easily seen that KJA achieves a much lower information loss. According to *Direct*, *Mondrian* is executed on the entire JT (tuples A up to Z). During the splitting process, if some partition contains no MT record, it is excluded from consideration. Finally, the MBBs of the resulting G -boxes are inserted into *JAT*.

Figure 9(a) exemplifies the incorporation of *TopDown* in our framework according to *Refinement* using the MT and PD^p of Figure 8. First, we execute *TopDown* on MT (the solid points), and obtain the same boxes (shown with bold lines) as in Figure 4(b). Then, we retrieve from JT all the records falling inside these boxes, and re-apply *TopDown* on all data (solid and hollow points). The resulting (shaded) G -boxes form *JAT*. Note that if there were any boxes without MT tuples, they would be discarded. On the other hand, in the *Direct* approach, *TopDown* is applied on the entire JT . Figure 9(b) illustrates the returned G -boxes; the ones containing some MT record (shown shaded) are placed into *JAT* and the remaining ones (e.g., with external tuples N, T , and V) are discarded.

5 EXPERIMENTAL EVALUATION

In this section, we empirically evaluate the performance of the KJA framework using both real and synthetic datasets. The real dataset IPUMS [27] contains 2.8 million records with household census information. We form MT and PD^p drawing random samples from the original dataset. For convenience, we assume that PD^p contains all MT tuples and hence $JT = PD^p$. The cardinality $|MT|$ of the MT table is fixed to 10K. The

Fig. 9. KJA adaptation of *TopDown*

ratio $|PD^p|/|MT|$ varies from 1 to 100, resulting in a PD^p of 10K to 1M tuples. We extract six QI attributes from IPUMS, and vary the dimensionality d of the QI space from 2 up to 6, selecting the d first attributes in the order depicted in Table 2. The anonymity requirement k ranges between 5 and 500. The synthetic dataset, termed UNI, has QI values uniformly distributed in $[0, 1]$.

TABLE 2
IPUMS attributes

Attribute	Domain
Age	0 – 93
Total Income	0 – 1000000
Family Size	1 – 21
Years of Education	0 – 17
Rent	0 – 2500
Sex	1, 2

TABLE 3
System parameters (ranges and default values)

Parameter	Default	Range
Number of QI attributes (d)	4	2, 3, 4, 5, 6
$ PD^p / MT $ ratio	100	1, 5, 10, 50, 100
MT cardinality	10K	10K
Anonymity Requirement (k)	50	5, 10, 50, 100, 500
Query Range Size ($ R $)	10	2, 5, 10, 20, 50 (% of Domain Space)

Our experiments compare KJA versions of *Mondrian* and *TopDown* to their conventional (i.e., k -anonymity) counterparts in terms of information loss and processing time. We use the modified NCP and DM metrics, defined in Section 3.3, to quantify information loss. Furthermore, we consider data analysis scenarios involving range-count queries: find out how many MT tuples satisfy a given range R in the QI space. *MondrianDIR* (*TopDownDIR*) and *MondrianREF* (*TopDownREF*) refer to the *Direct* and *Refinement* KJA variants of *Mondrian* (*TopDown*). In each diagram, we vary one parameter ($|PD^p|/|MT|$, k , d , or $|R|$), while setting the remaining ones to their default values. The tested ranges and default values for these parameters are shown in Table 3. The reported results correspond to the average of values obtained through 5 executions with different (random) selections of MT and PD^p records. All experiments were performed using a 2.4 GHz Core 2 Duo CPU.

Figures 10 and 11 measure NCP and DM, respectively, using *Mondrian* and the IPUMS dataset. Figures 10(a) and 11(a) focus on the effect of $|PD^p|/|MT|$. The information loss of conventional *Mondrian* is constant, as it does not take into account PD^p . On the other hand, KJA improves as the size of PD^p increases. This is expected, since the space around the microdata becomes denser with PD^p tuples, enabling KJA to create smaller G -boxes (and, thus, to reduce the NCP). The DM drops because each G -box contains more external records on the average and, hence, fewer MT tuples. When $|PD^p|/|MT| = 100$, for instance, *MondrianDIR* has 3.04 times lower NCP than *Mondrian*, and 14.35 times lower DM. In the same setting, *MondrianREF* reduces NCP and DM by 2.15 and 4.96 times, respectively. Regarding the comparison between the KJA methods, *MondrianDIR* performs better than *MondrianREF* for both metrics. The quality of the produced *JAT* is largely determined by the initial splitting decisions of *Mondrian*. For a skewed dataset, like IPUMS, having knowledge of the entire PD^p beforehand is helpful for evenly distributing PD^p tuples during splits. Thus, *MondrianDIR* leads to more balanced G -boxes (in terms of size and in terms of the ratio of microdata to external tuples) than *MondrianREF*.

Figures 10(b) and 11(b) plot the information loss as function of k ($|PD^p|/|MT| = 100$, $d = 4$). A stricter anonymity requirement naturally leads to a higher information loss for all algorithms. The G -boxes are enlarged to cover the necessary number of tuples, leading to higher NCP. In turn, larger G -boxes contain more MT tuples, i.e., each microdata record is anonymized together with more MT tuples on the average, incurring a higher DM. We clarify that in Figure 11(b) the information loss of both KJA variants does increase with k , but the difference is not obvious because the chart contains large DM values for *Mondrian*; their DM for $k = 500$ is around 6 times higher than for $k = 5$.

Figures 10(c) and 11(c) examine the effect of the number of quasi-identifiers d on the information loss ($|PD^p|/|MT| = 100$, $k = 50$). Let us first consider NCP in Figure 10(c). The space becomes sparser in higher dimensions, thus necessitating larger G -boxes to cover the required number of records. Hence, the performance of all three methods deteriorates, in accordance with the study of [11]. On the other hand, DM is not sensitive to d because the final G -boxes of *Mondrian* (in its conventional or KJA version) contain approximately the same number of MT and PD^p records regardless of d (although the perimeter of G -boxes increases with d).

Figures 12 and 13 repeat the above set of experiments using *TopDown*. Figures 12(a) and 13(a) show that the information loss decreases fast as $|PD^p|/|MT|$ grows. For $|PD^p|/|MT| = 100$, *TopDownDIR* and *TopDownREF* achieve 2.1 (2.22) and 3.51 (3.4) lower NCP (DM) than *TopDown*, respectively. Unlike *Mondrian* (Figures 10(a) and 11(a)), the *Refinement* version of *TopDown* outperforms the *Direct* one because *TopDown*'s clustering process is more flexible than the splits of *Mondrian*, deal-




Fig. 10. Information loss (*Mondrian*, IPUMS, NCP)




Fig. 11. Information Loss (*Mondrian*, IPUMS, DM)




Fig. 12. Information loss (*TopDown*, IPUMS, NCP)




Fig. 13. Information Loss (*TopDown*, IPUMS, DM)

ing better with the skewness of IPUMS. Figures 12(b) and 13(b) plot the information loss for the *TopDown* variants versus k . The performance of all methods deteriorates with k , for the reasons explained in the context of Figures 10(b) and 11(b). The effect of the QI -space dimensionality is shown in Figures 12(c) and 13(c). The NCP increases with d , while DM does not follow some particular trend. The DM fluctuations in Figure 13(c) are more evident than for *Mondrian* (Figure 11(c)) because *TopDown*, due to its randomized nature, is more sensitive to the relative skewness among the QI s.

In the next set of experiments (Figures 14 and 15), we investigate KJA's accuracy in answering range-count queries. Given such a query, we measure the relative error, i.e., $\frac{|actual-estimate|}{actual}$, where *actual* is the correct answer and *estimate* is the approximate value computed from the anonymous table. For each considered setting, we pose 100 queries that span a given percentage $|R|$ of the entire domain space and report the *average relative error* (ARE) incurred. We only compare the *Refinement* version of *Mondrian* and *TopDown* with its conventional counterpart, as *Direct* cannot handle range-count queries (see Section 3.3). Figure 14(a) draws the ARE as function of $|PD^p|/|MT|$ when all other parameters are set to their default values. In this setting, *Mondrian* has on average 21.1 relative error. Similar to the trends observed in Figures 10(a), 11(a), *Refinement* quickly reduces this value as more public tuples are incorporated in the anonymization process. In particular, for the default setting ($|PD^p|/|MT| = 100$), *MondrianREF* produces almost 2.71 times more accurate estimates (ARE 7.7).

Figure 14(b) shows the average relative error while varying k . As the anonymity requirement increases, the accuracy of range-aggregate queries decreases because G -boxes become larger. *MondrianREF* consistently produces tighter G -boxes as shown in Figures 10(b), 11(b) and significantly reduces the ARE. For instance, the reduction is 1.88-fold (ARE 2.7 vs. 5.1) when $k = 5$, and becomes 3.24-fold for $k = 500$ (ARE 37.6 vs. 11.6). Figure 14(c) studies the effect of the range size $|R|$. In all values examined, *MondrianREF* provides 2 up to 4 times more accurate query answers than *Mondrian*. Note that the estimation accuracy increases with $|R|$ because for low $|R|$ values the range covers only a few tuples; consequently, even small absolute discrepancies lead to large relative errors.

Figure 15 repeats the above setup for *TopDown* and shows similar trends. In the default setting *TopDownREF* achieves a 1.74-fold improvement in accuracy over *TopDown* (ARE 3.5 vs. 6.1); note that both methods are more accurate than *Mondrian* or *MondrianREF*. An interesting observation in Figure 15(b) is that the accuracy of *TopDown* variants decreases quickly as the anonymization requirement increases. For instance, *TopDown* (*TopDownREF*) has ARE 0.41 (0.18) when $k = 5$, but ARE 51.2 (30.8) when $k = 500$. Nonetheless, in all cases KJA reduces the average relative error with an improvement factor that ranges from 1.66 up to 3.04.

Next, we measure the information loss using NCP on the uniform datasets; DM charts demonstrate similar trends and are omitted. Figures 16 and 17 investigate the effectiveness of KJA using *Mondrian* and *TopDown*, respectively. In general, KJA exhibits analogous behavior to that on IPUMS, with an interesting difference. The two KJA variants of *Mondrian* produce *JAT*s with almost identical information loss (Figure 16). Similarly, the margin between *TopDownREF* and *TopDownDIR* (Figure 17) is very narrow compared to IPUMS (Figure 12). The reason for the above observations is that the uniform distribution of the data reduces the effect of the different grouping decisions followed by the *Direct* and *Refinement* variants of the algorithms.

So far our empirical study has centered on the information loss and estimation accuracy. Figures 18 and 19, on the other hand, illustrate the processing time for *Mondrian* and *TopDown*, respectively, versus $|PD^p|/|MT|$, k , and d . As shown in Figures 18(a) and 19(a), the running time of both KJA variants increases with $|PD^p|/|MT|$ (since they process more PD^p tuples), whereas, as expected, that of the conventional generalization techniques is constant. *MondrianREF* is about two times slower than *MondrianDIR* because it performs multiple range queries on the external database. However, the *TopDown* variants require roughly the same time. *TopDown* executes in two steps: (i) splitting, and (ii) merging groups. The running time is dominated by the latter step, as it requires joining multiple small groups. This cost is similar for both *TopDownDIR* and *TopDownREF*. Although KJA algorithms are more expensive than their conventional counterparts, their execution time never exceeds a few minutes, which is a reasonable cost given that anonymization is a one-time effort.

Figures 18(b) and 19(b) vary k and measure the processing time. The cost of all *Mondrian* versions decreases with k , since fewer splits are necessary to produce the *JAT*. The cost of the conventional *TopDown* also decreases with k , but this is not the case for *TopDownREF* and *TopDownDIR*. The splitting step of *TopDown* is accelerated for large k . The cost of the merging step, on the other hand, increases with the cumulative number of (MT and PD^p) tuples inside the groups. These conflicting factors are responsible for the relatively stable performance of the KJA versions of *TopDown*.

Figures 18(c) and 19(c) plot the running time versus d . All *Mondrian* variants are unaffected by d , as the number of performed splits is independent of d . In Figure 19(c), the cost of the conventional *TopDown* increases with d , because the NCP calculations involved in its clustering strategy become more expensive. For the KJA variants of *TopDown* this extra cost is negligible compared to the time spent for range queries, and thus their total running time is relatively stable.

Summarizing, compared to k -anonymity, KJA reduces the information loss and increases the estimation accuracy. For uniform datasets *Refinement* and *Direct* have similar benefits in terms of information loss. On the other




Fig. 14. Average Relative Error (*Mondrian*, IPUMS)




Fig. 15. Average Relative Error (*TopDown*, IPUMS)




Fig. 16. Information loss (*Mondrian*, UNI, NCP)






Fig. 17. Information loss (*TopDown*, UNI, NCP)

Fig. 18. Running Time (*Mondrian*, IPUMS)Fig. 19. Running Time (*TopDown*, IPUMS)

hand, for real-life datasets, *Direct* seems more suitable for *Mondrian*-based generalization, whereas *Refinement* works better with *TopDown*. *Refinement* has higher processing cost than *Direct* due to the multiple range queries it issues.

6 CONCLUSION

In most practical anonymization scenarios there exists public knowledge (e.g., voter registration data) that can be used by an attacker to breach privacy. On the other hand, this knowledge can also be exploited to reduce the information loss in the published data. Motivated by this observation, we introduce the concept of k -join-anonymity (KJA) and show how existing generalization algorithms can be adopted to take into account external databases. We demonstrate the effectiveness of KJA through an extensive experimental evaluation, using real and synthetic datasets.

An interesting direction for future work is to apply the general concept of exploiting external knowledge to alternative forms of de-identification. For instance, since some k -anonymity algorithms (e.g., *Mondrian*) can be easily adapted to capture l -diversity, we expect that the availability of external information will also be beneficial in this case. Additionally, we plan to investigate the issue of updates in MT and PD . Assume that, after the initial release of AT , the MT is modified and a new AT must be published. Meanwhile, the PD may have also been updated. A challenging issue is to incrementally update

the AT , without compromising the privacy of MT or the utility of AT .

ACKNOWLEDGMENTS

This work was supported by grant HKUST 6184/06 from Hong Kong RGC and by the Research Center, School of Information Systems, Singapore Management University. D. Sacharidis was supported by the Marie Curie International Outgoing Fellowship (PIOF-GA-2009-237876) from the European Commission.

REFERENCES

- [1] L. Sweeney, "k-anonymity: A model for protecting privacy," *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, vol. 10, no. 5, pp. 557–570, 2002.
- [2] P. Samarati, "Protecting respondents' identities in microdata release," *IEEE Transactions on Knowledge and Data Engineering (TKDE)*, vol. 13, no. 6, pp. 1010–1027, 2001.
- [3] C. Bettini, X. S. Wang, and S. Jajodia, "The role of quasi-identifiers in k-anonymity revisited," *The Computing Research Repository (CoRR)*, vol. abs/cs/0611035, 2006.
- [4] R. J. B. Jr. and R. Agrawal, "Data privacy through optimal k-anonymization," in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2005, pp. 217–228.
- [5] J. Xu, W. Wang, J. Pei, X. Wang, B. Shi, and A. W.-C. Fu, "Utility-based anonymization using local recoding," in *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD)*, 2006, pp. 785–790.
- [6] K. LeFevre, D. J. DeWitt, and R. Ramakrishnan, "Incognito: Efficient full-domain k-anonymity," in *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD)*, 2005, pp. 49–60.

- [7] —, “Mondrian multidimensional k-anonymity,” in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2006, p. 25.
- [8] G. Aggarwal, T. Feder, K. Kenthapadi, S. Khuller, R. Panigrahy, D. Thomas, and A. Zhu, “Achieving anonymity via clustering,” in *Proceedings of the ACM SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems (PODS)*, 2006, pp. 153–162.
- [9] A. Meyerson and R. Williams, “On the complexity of optimal k-anonymity,” in *Proceedings of the ACM SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems (PODS)*, 2004, pp. 223–228.
- [10] G. Aggarwal, T. Feder, K. Kenthapadi, R. Motwani, R. Panigrahy, D. Thomas, and A. Zhu, “Anonymizing tables,” in *Proceedings of the International Conference on Database Theory (ICDT)*, 2005, pp. 246–258.
- [11] C. C. Aggarwal, “On k-anonymity and the curse of dimensionality,” in *Proceedings of the International Conference on Very Large Data Bases (VLDB)*, 2005, pp. 901–909.
- [12] M. de Berg, M. van Kreveld, M. Overmars, and O. Schwarzkopf, *Computational Geometry: Algorithms and Applications (Second Edition)*. Springer-Verlag, 2000.
- [13] A. Machanavajhala, J. Gehrke, D. Kifer, and M. Venkatasubramanian, “l-diversity: Privacy beyond k-anonymity,” in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2006, p. 24.
- [14] X. Xiao and Y. Tao, “Anatomy: Simple and effective privacy preservation,” in *Proceedings of the International Conference on Very Large Data Bases (VLDB)*, 2006, pp. 139–150.
- [15] Q. Zhang, N. Koudas, D. Srivastava, and T. Yu, “Aggregate query answering on anonymized tables,” in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2007, pp. 116–125.
- [16] J.-W. Byun, Y. Sohn, E. Bertino, and N. Li, “Secure anonymization for incremental datasets,” in *Proceedings of the VLDB Workshop on Secure Data Management (SDM)*, 2006, pp. 48–63.
- [17] X. Xiao and Y. Tao, “m-invariance: Towards privacy preserving republication of dynamic datasets,” in *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD)*, 2007, pp. 689–700.
- [18] N. Li, T. Li, and S. Venkatasubramanian, “t-closeness: Privacy beyond k-anonymity and l-diversity,” in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2007, pp. 106–115.
- [19] R. C.-W. Wong, A. W.-C. Fu, K. Wang, and J. Pei, “Minimality attack in privacy preserving data publishing,” in *Proceedings of the International Conference on Very Large Data Bases (VLDB)*, 2007, pp. 543–554.
- [20] D. J. Martin, D. Kifer, A. Machanavajhala, J. Gehrke, and J. Y. Halpern, “Worst-case background knowledge for privacy-preserving data publishing,” in *Proceedings of the IEEE International Conference on Data Engineering (ICDE)*, 2007, pp. 126–135.
- [21] V. Rastogi, S. Hong, and D. Suciu, “The boundary between privacy and utility in data publishing,” in *Proceedings of the International Conference on Very Large Data Bases (VLDB)*, 2007, pp. 531–542.
- [22] G. Ghinita, P. Karras, P. Kalnis, and N. Mamoulis, “Fast data anonymization with low information loss,” in *Proceedings of the International Conference on Very Large Data Bases (VLDB)*, 2007, pp. 758–769.
- [23] M. Terrovitis, N. Mamoulis, and P. Kalnis, “Privacy-preserving anonymization of set-valued data,” *Proceedings of the VLDB Endowment (PVLDB)*, vol. 1, no. 1, pp. 115–125, 2008.
- [24] M. E. Nergiz, M. Atzori, and C. Clifton, “Hiding the presence of individuals from shared databases,” in *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD)*, 2007, pp. 665–676.
- [25] F. Li, M. Hadjieleftheriou, G. Kollios, and L. Reyzin, “Dynamic authenticated index structures for outsourced databases,” in *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD)*, 2006, pp. 121–132.
- [26] K. Mouratidis, D. Sacharidis, and H.-H. Pang, “Partially materialized digest scheme: An efficient verification method for outsourced databases,” *The International Journal on Very Large Data Bases (VLDBJ)*, vol. 18, no. 1, pp. 363–381, 2009.
- [27] S. Ruggles, M. Sobek, T. Alexander, C. A. Fitch, R. Goeken, P. K. Hall, M. King, and C. Ronnander, “Integrated public use microdata series: Version 4.0 [machine-readable database]. minneapolis,

mn: Minnesota population center [producer and distributor],” 2008.



Dimitris Sacharidis is a Marie Curie Postdoctoral Fellow at the Institute for the Management of Information Systems, Greece, and at the Hong Kong University of Science and Technology. He received his BSc degree from the National Technical University of Athens, his MSc degree from the University of Southern California, and his PhD degree in Computer Science from the National Technical University of Athens. His research interests include data streams, privacy, security, and ranking in databases.



Kyriakos Mouratidis is an Assistant Professor at the School of Information Systems, Singapore Management University. He received his BSc degree from the Aristotle University of Thessaloniki, Greece, and his PhD degree in Computer Science from the Hong Kong University of Science and Technology. His research interests include spatiotemporal databases, data stream processing, and mobile computing.



Dimitris Papadias is a Professor at the Computer Science and Engineering, Hong Kong University of Science and Technology. Before joining HKUST in 1997, he worked and studied at the German National Research Center for Information Technology (GMD), the National Center for Geographic Information and Analysis (NC-GIA, Maine), the University of California at San Diego, the Technical University of Vienna, the National Technical University of Athens, Queen's University (Canada), and University of Patras (Greece). He has published extensively and been involved in the program committees of all major Database Conferences, including SIGMOD, VLDB and ICDE. He is an associate editor of the VLDB Journal, the IEEE Transactions on Knowledge and Data Engineering, and on the editorial advisory board of Information Systems.